



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 #33-1594
 MassDEP File #

 eDEP Transaction #
 Haverhill
 City/Town

A. General Information

Please note: this form has been modified with added space to accommodate the Registry of Deeds Requirements

Important: When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



1. From: Haverhill
 Conservation Commission

2. This issuance is for (check one):
 a. Order of Conditions b. Amended Order of Conditions

3. To: Applicant:

a. First Name _____ b. Last Name _____

Northern Essex Community College

c. Organization

100 Elliot Street

d. Mailing Address

Haverhill MA 01830

e. City/Town f. State g. Zip Code

4. Property Owner (if different from applicant):

a. First Name _____ b. Last Name _____

Commonwealth of Massachusetts

c. Organization

100 Elliot Street

d. Mailing Address

Haverhill MA 01830

e. City/Town f. State g. Zip Code

5. Project Location:

100 Elliot Street Haverhill

a. Street Address b. City/Town

459-2 13

c. Assessors Map/Plat Number d. Parcel/Lot Number

Latitude and Longitude, if known: 42.79453 -71.04530

d. Latitude e. Longitude



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 #33-1594
 MassDEP File #

 eDEP Transaction #
 Haverhill
 City/Town

A. General Information (cont.)

6. Property recorded at the Registry of Deeds for (attach additional information if more than one parcel):

Southern Essex District

a. County

5451

b. Certificate Number (if registered land)

264

c. Book

d. Page

7. Dates: 2-26-2026 4-23-2026 5-26-2026
 a. Date Notice of Intent Filed b. Date Public Hearing Closed c. Date of Issuance

8. Final Approved Plans and Other Documents (attach additional plan or document references as needed):

See Attachment "A", "Special Conditions", incorporated herein and made part of this Order of Conditions.

b. Prepared By

c. Signed and Stamped by

d. Final Revision Date

e. Scale

f. Additional Plan or Document Title

g. Date

B. Findings

1. Findings pursuant to the Massachusetts Wetlands Protection Act:

Following the review of the above-referenced Notice of Intent and based on the information provided in this application and presented at the public hearing, this Commission finds that the areas in which work is proposed is significant to the following interests of the Wetlands Protection Act (the Act). Check all that apply:

- a. Public Water Supply b. Land Containing Shellfish c. Prevention of Pollution
- d. Private Water Supply e. Fisheries f. Protection of Wildlife Habitat
- g. Groundwater Supply h. Storm Damage Prevention i. Flood Control

2. This Commission hereby finds the project, as proposed, is: (check one of the following boxes)

Approved subject to:

- a. the following conditions which are necessary in accordance with the performance standards set forth in the wetlands regulations. This Commission orders that all work shall be performed in accordance with the Notice of Intent referenced above, the following General Conditions, and any other special conditions attached to this Order. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, these conditions shall control.



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 #33-1594
 MassDEP File #

eDEP Transaction #
 Haverhill
 City/Town

B. Findings (cont.)

Denied because:

- b. the proposed work cannot be conditioned to meet the performance standards set forth in the wetland regulations. Therefore, work on this project may not go forward unless and until a new Notice of Intent is submitted which provides measures which are adequate to protect the interests of the Act, and a final Order of Conditions is issued. **A description of the performance standards which the proposed work cannot meet is attached to this Order.**
- c. the information submitted by the applicant is not sufficient to describe the site, the work, or the effect of the work on the interests identified in the Wetlands Protection Act. Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides sufficient information and includes measures which are adequate to protect the Act's interests, and a final Order of Conditions is issued. **A description of the specific information which is lacking and why it is necessary is attached to this Order as per 310 CMR 10.05(6)(c).**
- 3. Buffer Zone Impacts: Shortest distance between limit of project disturbance and the wetland resource area specified in 310 CMR 10.02(1)(a) 50
a. linear feet

Inland Resource Area Impacts: Check all that apply below. (For Approvals Only)

Resource Area	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
4. <input type="checkbox"/> Bank	a. linear feet	b. linear feet	c. linear feet	d. linear feet
5. <input type="checkbox"/> Bordering Vegetated Wetland	a. square feet	b. square feet	c. square feet	d. square feet
6. <input type="checkbox"/> Land Under Waterbodies and Waterways	a. square feet	b. square feet	c. square feet	d. square feet
	e. c/y dredged	f. c/y dredged		
7. <input type="checkbox"/> Bordering Land Subject to Flooding	a. square feet	b. square feet	c. square feet	d. square feet
Cubic Feet Flood Storage	e. cubic feet	f. cubic feet	g. cubic feet	h. cubic feet
8. <input type="checkbox"/> Isolated Land Subject to Flooding	a. square feet	b. square feet		
Cubic Feet Flood Storage	c. cubic feet	d. cubic feet	e. cubic feet	f. cubic feet
9. <input type="checkbox"/> Riverfront Area	a. total sq. feet	b. total sq. feet		
Sq ft within 100 ft	c. square feet	d. square feet	e. square feet	f. square feet
Sq ft between 100- 200 ft	g. square feet	h. square feet	i. square feet	j. square feet



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 #33-1594
 MassDEP File #

eDEP Transaction #
 Haverhill
 City/Town

B. Findings (cont.)

Coastal Resource Area Impacts: Check all that apply below. (For Approvals Only)

	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
10. <input type="checkbox"/> Designated Port Areas	Indicate size under Land Under the Ocean, below			
11. <input type="checkbox"/> Land Under the Ocean	_____	_____		
	a. square feet	b. square feet		
	_____	_____		
	c. c/y dredged	d. c/y dredged		
12. <input type="checkbox"/> Barrier Beaches	Indicate size under Coastal Beaches and/or Coastal Dunes below			
13. <input type="checkbox"/> Coastal Beaches	_____	_____	_____ cu yd	_____ cu yd
	a. square feet	b. square feet	c. nourishment	d. nourishment
14. <input type="checkbox"/> Coastal Dunes	_____	_____	_____ cu yd	_____ cu yd
	a. square feet	b. square feet	c. nourishment	d. nourishment
15. <input type="checkbox"/> Coastal Banks	_____	_____		
	a. linear feet	b. linear feet		
16. <input type="checkbox"/> Rocky Intertidal Shores	_____	_____		
	a. square feet	b. square feet		
17. <input type="checkbox"/> Salt Marshes	_____	_____	_____	_____
	a. square feet	b. square feet	c. square feet	d. square feet
18. <input type="checkbox"/> Land Under Salt Ponds	_____	_____		
	a. square feet	b. square feet		
	_____	_____		
	c. c/y dredged	d. c/y dredged		
19. <input type="checkbox"/> Land Containing Shellfish	_____	_____	_____	_____
	a. square feet	b. square feet	c. square feet	d. square feet
20. <input type="checkbox"/> Fish Runs	Indicate size under Coastal Banks, Inland Bank, Land Under the Ocean, and/or inland Land Under Waterbodies and Waterways, above			
	_____	_____		
	a. c/y dredged	b. c/y dredged		
21. <input type="checkbox"/> Land Subject to Coastal Storm Flowage	_____	_____		
	a. square feet	b. square feet		
22. <input type="checkbox"/> Riverfront Area	_____	_____		
	a. total sq. feet	b. total sq. feet		
Sq ft within 100 ft	_____	_____	_____	_____
	c. square feet	d. square feet	e. square feet	f. square feet
Sq ft between 100-200 ft	_____	_____	_____	_____
	g. square feet	h. square feet	i. square feet	j. square feet



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 #33-1594
 MassDEP File #

eDEP Transaction #
 Haverhill
 City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act

8. This Order is not final until all administrative appeal periods from this Order have elapsed, or if such an appeal has been taken, until all proceedings before the Department have been completed.
9. No work shall be undertaken until the Order has become final and then has been recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land upon which the proposed work is to be done. In the case of the registered land, the Final Order shall also be noted on the Land Court Certificate of Title of the owner of the land upon which the proposed work is done. The recording information shall be submitted to the Conservation Commission on the form at the end of this Order, which form must be stamped by the Registry of Deeds, prior to the commencement of work.
10. A sign shall be displayed at the site not less than two square feet or more than three square feet in size bearing the words,

"Massachusetts Department of Environmental Protection" [or, "MassDEP"]
 "File Number #33 - 1594 "
11. Where the Department of Environmental Protection is requested to issue a Superseding Order, the Conservation Commission shall be a party to all agency proceedings and hearings before MassDEP.
12. Upon completion of the work described herein, the applicant shall submit a Request for Certificate of Compliance (WPA Form 8A) to the Conservation Commission.
13. The work shall conform to the plans and special conditions referenced in this order.
14. Any change to the plans identified in Condition #13 above shall require the applicant to inquire of the Conservation Commission in writing whether the change is significant enough to require the filing of a new Notice of Intent.
15. The Agent or members of the Conservation Commission and the Department of Environmental Protection shall have the right to enter and inspect the area subject to this Order at reasonable hours to evaluate compliance with the conditions stated in this Order, and may require the submittal of any data deemed necessary by the Conservation Commission or Department for that evaluation.
16. This Order of Conditions shall apply to any successor in interest or successor in control of the property subject to this Order and to any contractor or other person performing work conditioned by this Order.



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 #33-1594
 MassDEP File #

eDEP Transaction #
 Haverhill
 City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

17. Prior to the start of work, and if the project involves work adjacent to a Bordering Vegetated Wetland, the boundary of the wetland in the vicinity of the proposed work area shall be marked by wooden stakes or flagging. Once in place, the wetland boundary markers shall be maintained until a Certificate of Compliance has been issued by the Conservation Commission.
18. All sedimentation barriers shall be maintained in good repair until all disturbed areas have been fully stabilized with vegetation or other means. At no time shall sediments be deposited in a wetland or water body. During construction, the applicant or his/her designee shall inspect the erosion controls on a daily basis and shall remove accumulated sediments as needed. The applicant shall immediately control any erosion problems that occur at the site and shall also immediately notify the Conservation Commission, which reserves the right to require additional erosion and/or damage prevention controls it may deem necessary. Sedimentation barriers shall serve as the limit of work unless another limit of work line has been approved by this Order.
19. The work associated with this Order (the "Project")
- (1) is subject to the Massachusetts Stormwater Standards
- (2) is NOT subject to the Massachusetts Stormwater Standards

If the work is subject to the Stormwater Standards, then the project is subject to the following conditions:

- a) All work, including site preparation, land disturbance, construction and redevelopment, shall be implemented in accordance with the construction period pollution prevention and erosion and sedimentation control plan and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Construction General Permit as required by Stormwater Condition 8. Construction period erosion, sedimentation and pollution control measures and best management practices (BMPs) shall remain in place until the site is fully stabilized.
- b) No stormwater runoff may be discharged to the post-construction stormwater BMPs unless and until a Registered Professional Engineer provides a Certification that:
- i.* all construction period BMPs have been removed or will be removed by a date certain specified in the Certification. For any construction period BMPs intended to be converted to post construction operation for stormwater attenuation, recharge, and/or treatment, the conversion is allowed by the MassDEP Stormwater Handbook BMP specifications and that the BMP has been properly cleaned or prepared for post construction operation, including removal of all construction period sediment trapped in inlet and outlet control structures;
- ii.* as-built final construction BMP plans are included, signed and stamped by a Registered Professional Engineer, certifying the site is fully stabilized;
- iii.* any illicit discharges to the stormwater management system have been removed, as per the requirements of Stormwater Standard 10;



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands

WPA Form 5 – Order of Conditions

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

#33-1594

MassDEP File #

eDEP Transaction #

Haverhill

City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

iv. all post-construction stormwater BMPs are installed in accordance with the plans (including all planting plans) approved by the issuing authority, and have been inspected to ensure that they are not damaged and that they are in proper working condition;

v. any vegetation associated with post-construction BMPs is suitably established to withstand erosion.

c) The landowner is responsible for BMP maintenance until the issuing authority is notified that another party has legally assumed responsibility for BMP maintenance. Prior to requesting a Certificate of Compliance, or Partial Certificate of Compliance, the responsible party (defined in General Condition 18(e)) shall execute and submit to the issuing authority an Operation and Maintenance Compliance Statement (“O&M Statement”) for the Stormwater BMPs identifying the party responsible for implementing the stormwater BMP Operation and Maintenance Plan (“O&M Plan”) and certifying the following:

i.) the O&M Plan is complete and will be implemented upon receipt of the Certificate of Compliance, and

ii.) the future responsible parties shall be notified in writing of their ongoing legal responsibility to operate and maintain the stormwater management BMPs and implement the Stormwater Pollution Prevention Plan.

d) Post-construction pollution prevention and source control shall be implemented in accordance with the long-term pollution prevention plan section of the approved Stormwater Report and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Multi-Sector General Permit.

e) Unless and until another party accepts responsibility, the landowner, or owner of any drainage easement, assumes responsibility for maintaining each BMP. To overcome this presumption, the landowner of the property must submit to the issuing authority a legally binding agreement of record, acceptable to the issuing authority, evidencing that another entity has accepted responsibility for maintaining the BMP, and that the proposed responsible party shall be treated as a permittee for purposes of implementing the requirements of Conditions 18(f) through 18(k) with respect to that BMP. Any failure of the proposed responsible party to implement the requirements of Conditions 18(f) through 18(k) with respect to that BMP shall be a violation of the Order of Conditions or Certificate of Compliance. In the case of stormwater BMPs that are serving more than one lot, the legally binding agreement shall also identify the lots that will be serviced by the stormwater BMPs. A plan and easement deed that grants the responsible party access to perform the required operation and maintenance must be submitted along with the legally binding agreement.

f) The responsible party shall operate and maintain all stormwater BMPs in accordance with the design plans, the O&M Plan, and the requirements of the Massachusetts Stormwater Handbook.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

WPA Form 5 – Order of Conditions

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

#33-1594

MassDEP File #

eDEP Transaction #

Haverhill

City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

- g) The responsible party shall:
1. Maintain an operation and maintenance log for the last three (3) consecutive calendar years of inspections, repairs, maintenance and/or replacement of the stormwater management system or any part thereof, and disposal (for disposal the log shall indicate the type of material and the disposal location);
 2. Make the maintenance log available to MassDEP and the Conservation Commission ("Commission") upon request; and
 3. Allow members and agents of the MassDEP and the Commission to enter and inspect the site to evaluate and ensure that the responsible party is in compliance with the requirements for each BMP established in the O&M Plan approved by the issuing authority.
- h) All sediment or other contaminants removed from stormwater BMPs shall be disposed of in accordance with all applicable federal, state, and local laws and regulations.
- i) Illicit discharges to the stormwater management system as defined in 310 CMR 10.04 are prohibited.
- j) The stormwater management system approved in the Order of Conditions shall not be changed without the prior written approval of the issuing authority.
- k) Areas designated as qualifying pervious areas for the purpose of the Low Impact Site Design Credit (as defined in the MassDEP Stormwater Handbook, Volume 3, Chapter 1, Low Impact Development Site Design Credits) shall not be altered without the prior written approval of the issuing authority.
- l) Access for maintenance, repair, and/or replacement of BMPs shall not be withheld. Any fencing constructed around stormwater BMPs shall include access gates and shall be at least six inches above grade to allow for wildlife passage.

Special Conditions (if you need more space for additional conditions, please attach a text document):

See Attachment "A", "Special Conditions", incorporated herein and made part of this Order of Conditions.

20. For Test Projects subject to 310 CMR 10.05(11), the applicant shall also implement the monitoring plan and the restoration plan submitted with the Notice of Intent. If the conservation commission or Department determines that the Test Project threatens the public health, safety or the environment, the applicant shall implement the removal plan submitted with the Notice of Intent or modify the project as directed by the conservation commission or the Department.



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 #33-1594
 MassDEP File #

eDEP Transaction #
 Haverhill
 City/Town

E. Signatures

This Order is valid for three years, unless otherwise specified as a special condition pursuant to General Conditions #4, from the date of issuance.

May 26, 2026

1. Date of Issuance

Please indicate the number of members who will sign this form.

five

This Order must be signed by a majority of the Conservation Commission.

2. Number of Signers

The Order must be mailed by certified mail (return receipt requested) or hand delivered to the applicant. A copy also must be mailed or hand delivered at the same time to the appropriate Department of Environmental Protection Regional Office, if not filing electronically, and the property owner, if different from applicant.

Pursuant to the vote taken by the Conservation Commission on May 7, 2020, the following signatures are made in accordance with M.G.L. c.110G and pursuant to said Commission's electronic signature authorization vote recorded on May 21, 2020, with the Southern Essex District Registry of Deeds in Book 38538, Page 455.

/Oliver Aguilo/
Signature

/Evan Barman/
Signature

/Ted Becker/
Signature

/Harmony Wilson/
Signature

/Thomas Wylie/
Signature

Oliver Aguilo
Printed Name

Evan Barman
Printed Name

Ted Becker
Printed Name

Harmony Wilson
Printed Name

Thomas Wylie
Printed Name

by hand delivery on

by certified mail, return receipt requested, on

May 26, 2026

Date

Date



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 #33-1594
 MassDEP File #

eDEP Transaction #
 Haverhill
 City/Town

F. Appeals

The applicant, the owner, any person aggrieved by this Order, any owner of land abutting the land subject to this Order, or any ten residents of the city or town in which such land is located, are hereby notified of their right to request the appropriate MassDEP Regional Office to issue a Superseding Order of Conditions. The request must be made by certified mail or hand delivery to the Department, with the appropriate filing fee and a completed Request for Departmental Action Fee Transmittal Form, as provided in 310 CMR 10.03(7) within ten business days from the date of issuance of this Order. A copy of the request shall at the same time be sent by certified mail or hand delivery to the Conservation Commission and to the applicant, if he/she is not the appellant.

Any appellants seeking to appeal the Department's Superseding Order associated with this appeal will be required to demonstrate prior participation in the review of this project. Previous participation in the permit proceeding means the submission of written information to the Conservation Commission prior to the close of the public hearing, requesting a Superseding Order, or providing written information to the Department prior to issuance of a Superseding Order.

The request shall state clearly and concisely the objections to the Order which is being appealed and how the Order does not contribute to the protection of the interests identified in the Massachusetts Wetlands Protection Act (M.G.L. c. 131, § 40), and is inconsistent with the wetlands regulations (310 CMR 10.00). To the extent that the Order is based on a municipal ordinance or bylaw, and not on the Massachusetts Wetlands Protection Act or regulations, the Department has no appellate jurisdiction.



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 #33-1594

 MassDEP File #

 eDEP Transaction #
 Haverhill

 City/Town

G. Recording Information

Prior to commencement of work, this Order of Conditions must be recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land subject to the Order. In the case of registered land, this Order shall also be noted on the Land Court Certificate of Title of the owner of the land subject to the Order of Conditions. The recording information on this page shall be submitted to the Conservation Commission listed below.

Haverhill

 Conservation Commission

Detach on dotted line, have stamped by the Registry of Deeds and submit to the Conservation Commission.

To:
 Haverhill

 Conservation Commission

Please be advised that the Order of Conditions for the Project at:

100 Elliot Street (Parcel ID: 459-2-13)	#33-1594
_____	_____
Project Location	MassDEP File Number

Has been recorded at the Registry of Deeds of:

Southern Essex District	_____	_____	_____
County	Book	Page	

for: _____
 Property Owner

and has been noted in the chain of title of the affected property in:

_____	_____
Book	Page

In accordance with the Order of Conditions issued on:

Date

If recorded land, the instrument number identifying this transaction is:

Instrument Number

If registered land, the document number identifying this transaction is:

Document Number

Signature of Applicant



Haverhill

Conservation Department
Phone: 978-374-2334 Fax: 978-374-2366
conservation@haverhillma.gov

ATTACHMENT A: SPECIAL CONDITIONS

MassDEP FILE #33-1594

ISSUING AUTHORITY: Haverhill Conservation Commission (“HCC”)

APPLICANT: Northern Essex Community College

PROJECT LOCATION: 100 Elliot Street - Parcel ID: 459-2-13

PROJECT DESCRIPTION

The project consists of the construction of new athletic fields on the college campus, including a track and field event space, baseball field, tennis courts, bathroom facility, spectator seating, and associated sidewalks, utilities, and appurtenant features. Work in the southeast corner of the campus involving stormwater best management practices is within the 100’ buffer zone of an intermittent stream and wetland system that flows off site to Cottle’s Creek. Along the western limit of work, construction of tennis court elements is within the 100’ buffer zone of a bordering vegetated wetland on the campus.

RESOURCE AREA FINDINGS

The Haverhill Conservation Commission finds this site to contain, at a minimum, the following resource areas: bordering vegetated wetlands and intermittent stream bank associated with the Cottle’s Creek system. A portion of the project is within the Zone A of Kenoza Lake, the City’s primary potable water supply.

EXPIRATION DATE

Unless extended, this Order of Conditions (“OOC”) will expire May 26, 2029.

PLANS AND DOCUMENTS

Work on this project site shall be performed according to the following listed plans and documents on file with the HCC. Should any conflicts be found to exist between these plans and documents and the conditions of this OOC, the HCC shall be contacted for a clarification.

- a) “NECC Athletic Field Renovations” (20 Sheets), site plan prepared by Brennan Consulting (24 Ray Ave, Burlington, MA 01803), revised through April 20, 2026;
- b) “Stormwater Management Report for Northern Essex Community College Athletic Field Renovations”, documents prepared by Brennan, dated February 26, 2026, and revised April 20, 2026;
- c) “Recommended Construction Period Pollution Prevention and Erosion and Sedimentation Controls” (5 Pages), document prepared by Brennan, dated received February 26, 2026;
- d) “Operation and Maintenance & Long-Term Pollution Prevention Plan for Post-Construction Storm Water Controls” (7 Pages), prepared by Brennan, dated April 15, 2026; and
- e) “Drainage Operation and Maintenance Log” and Maintenance Procedures for Proposed Proprietary Devices (32 Pages), prepared by Brennan, dated received April 15, 2026.

Pursuant to the Massachusetts Wetlands Protection Act (M.G.L. Chapter 131, Section 40), its Regulations (310 CMR 10.00), and Haverhill City Code Chapter 253 (“An Ordinance to Protect the Wetlands, Related Water Resources and Adjoining Land Areas”), the Commission orders that all work shall be performed in accordance with the following additional, special conditions:

GENERAL CONSTRUCTION

21. The HCC may designate one or more Conservation Department Officials as its agent (“HCC Official”), with full powers to act on its behalf in administering and enforcing this OOC.
22. Work on this project shall be performed in accordance with Haverhill Municipal Ordinances Chapter 253 – “An Ordinance to Protect the Wetlands, Related Water Resources, and Adjoining Land Areas”.
23. In accordance with Haverhill Municipal Ordinance Chapter 253, there shall be no activities allowed within 25’ of the delineated wetland resource areas and no building construction within 50’ of these same areas, except as shown on the approved plans referenced above.
24. All wetland resource areas shall be visibly flagged and/or staked every 25 feet along the resource area boundaries to assure that no intrusion into these areas occur. Flagging and staking used to identify wetland resource areas shall be of a color different from any others used on the site and shall be maintained until the work is complete.
25. The rows of erosion control devices, as shown on the site plan, shall also act as a limit of site activity.
26. The MassDEP File Number sign shall not be attached to a live tree.
27. Any changes proposed under this OOC might require the Applicant to file a “Request for a Modification to the Order of Conditions” with the HCC.
28. While all activities regulated by this Order are being performed and during the construction phase of this project, an on-site foreman, directing engineer, or designated construction manager, shall have a copy of this permit and its associated plans and documents at the site, familiarize him or herself with the conditions of this permit, and adhere to such conditions. This OOC shall be made part of all construction-related documents for this project. All contractors working at the site shall be made aware of the provisions contained within this OOC and adhere to them.
29. The Applicant shall secure an Environmental Monitor (“EM”) for this project. The EM shall be, at a minimum, a professional with experience in Resource Area Protection; Erosion, Sedimentation, and Pollution Prevention; and Stormwater Management. The EM shall have at a minimum, a working knowledge of botany, hydrology, and general construction practices. The Applicant may designate the EM as responsible for fulfilling the requirements of the Pollution Prevention and Erosion and Sedimentation Control (“PPESC”) Monitor under this OOC. Otherwise, the EM shall establish an appropriate working relationship with the PPESC Monitor to ensure the project’s complete compliance with this OOC. The Applicant shall give the EM authority to stop construction for PPESC purposes.
 - a) On the Monday of every week throughout the life of this project, the EM shall provide the HCC with a status report of the project. This report shall indicate the functions of the PPESC devices and any need for maintenance, replacement, augmentation, emergency placement, and any other corrective action of

PPESC devices; the activities completed the previous week; and the activities planned for the current week. The report shall also mention any deviations from the previous week's report and any environmental mitigation measures that have been undertaken. The report shall include representative photographs of deviations, needed repairs, and on-going work. The frequency of this reporting may be altered as site conditions warrant, upon concurrence between the HCC and the EM.

- b) In addition to this reporting, the EM shall be responsible for all inspections and reporting as outlined in this OOC and the referenced plans and documents pertaining to Resource Area Activities; Erosion, Sedimentation, and Pollution Prevention; and Stormwater Management. The EM shall be on site as necessary to ensure proper implementation of the conditions of this OOC and the work outlined in the referenced plans and documents.

CONSTRUCTION SEQUENCING

30. A minimum of two (2) business days in advance, the Applicant shall provide the HCC with written notification of the commencement of work on site. At this time the Applicant shall also supply the HCC with a list of names, addresses, and emergency phone numbers (including evenings and weekends) for those parties responsible for compliance with this OOC on the site, including the Environmental Monitor and the Pollution Prevention and Erosion and Sedimentation Control Monitor.
31. Prior to the commencement of work on this site, the Applicant shall provide the HCC with proof of filing and EPA activation of a "Notice of Intent (NOI) for Storm Water Discharges Associated with CONSTRUCTION ACTIVITY Under a NPDES General Permit" with the United States Environmental Protection Agency (EPA) under the National Pollutant Discharge Elimination System ("NPDES") Program. Provided with this proof shall be a copy of the Storm Water Pollution Prevention Plan ("SWPPP") prepared for this project. The Applicant shall provide the HCC with evidence that all "operators" (as defined in the NPDES Construction General Permit) have filed for coverage under the permit. The Applicant shall obtain authorization from the HCC prior to filing a Notice of Termination under the EPA permit. These submittals shall be made in an electronic form found acceptable to an HCC Official.
32. Prior to the commencement of work on this site, the Applicant shall schedule a pre-construction meeting with the site contractor, the Applicant's engineers/consultants, the EM, the PPESC Monitor, and the HCC. The purpose of the meeting is to review this OOC and resolve any outstanding issues at that time.
33. **Prior to the commencement of work on this site**, the Applicant shall provide the Haverhill Water Department with calculations for runoff volume from a 1-inch storm event created by new impervious areas with the Zone A and demonstrate to the Department how the project will mitigate this potential loss of recharge. [See Zoning Code Chapter 255, Section 9.2.7.2]
34. **Prior to construction of the bathroom facility**, the Applicant shall make every effort to relocate the bathroom facility outside the Zone A of Kenoza Lake, the City's primary water supply. [See Zoning Code Chapter 255, Section 9.2.7.2]
35. **Prior to the construction of the bathroom facility**, the Applicant shall provide the HCC with detailed information on the facility, including measures taken to prevent release to the environment, including exfiltration in the subsurface sewer utilities. [See Zoning Code Chapter 255, Section 9.2.7.2]

36. **Prior to the installation of the infill synthetic turf and resilient systems**, the Applicant shall demonstrate to the satisfaction of the Haverhill Water Department that the building materials used for these systems will not contaminate and impact the City's Water Supply Protection Overlay District, specifically with per- and polyfluoroalkyl substances (PFAS). [See Zoning Code Chapter 255, Section 9.2.7.2]
37. Prior to operation of the proposed facilities, the Applicant shall provide the HCC with as-built grading plans showing, at a minimum, the following information as it pertains to the subject property and respective phase of the project. This plan shall be stamped by a MA-registered Professional Engineer. This plan shall be subject to the review and approval of the HCC.
- a) Wetland resource areas subject to protection under this OOC and their approved delineations;
 - b) Limits of all Buffer Zones, including No-Disturbance and No-Build Zones;
 - c) Foundations and other structures;
 - d) Topography at 2' intervals and on North American Vertical Datum 1988;
 - e) Existing limits of lawn/landscaped, forest, and meadow areas;
 - f) Wetland resource area impact details and related wetland replication work;
 - g) Buffer Zone signage and/or other demarcations (e.g., fencing) required by this OOC;
 - h) Stormwater Management System Best Management Practices (including appurtenant groundwater elevations, inverts, system geometry, piping, structures, and table of as-built calculations with a comparison to design values to demonstrate compliance with the approved design...)
 - i) Utilities;
 - j) Date(s) of survey fieldwork; and
 - k) A statement by the Professional Engineer certifying compliance with the approved plans and conditions of this OOC and setting forth deviations from same, if any exist.
38. Prior to the completion of this project and operation of its improvements, the Applicant shall provide the HCC with a final set of campus-wide SPCC, OMP, and LTPPP documents, including final BMP location maps. These documents shall particularly cover all stormwater BMPs at the facility to provide a plan that is both comprehensive and user friendly for facility maintenance staff. The documents shall include spill response protocols, identify the locations of tools/equipment needed to close valves, identify the locations and uses of other spill response materials (such as catch basin covers) at the facility, and so forth. **The final document shall be referenced in the Certificate of Compliance issued at the completion of this project.**
39. **Prior to operation of the proposed facilities**, the Applicant shall submit a Fertilizer Management Document to the HCC and Haverhill Water Department. This document shall outline best management practices utilized to prevent any adverse impacts to the Water Supply Protection Overlay District, including but not limited to such topics as erosion control techniques, control of runoff water, prevention of volatilization of deposition of agricultural chemicals (fertilizers, etc.), and control of nutrient transport and deposition of said chemicals.
40. Prior to operation of the proposed facilities, the Applicant shall provide the HCC with affidavits, signed by the Property Owner and Facility Operator, and notarized by a MA Notary Public, whereby the Property Owner and Facility Operator acknowledge:
- a) Receipt of a copy of the recorded OOC from the Applicant;
 - b) Receipt of a plot plan identifying the locations of wetland resource areas and existing structures on this land from the Applicant;

- c) Receipt of a copy of the Stormwater Operation & Maintenance Plan and the Long-Term Pollution Prevention Plan from the Applicant; and
- d) Understanding of his/her terms of and legal responsibilities for implementing these documents and for the operation and maintenance of the project site stormwater management system Best Management Practices, as outlined in the Pollution Prevention Plan.

41. Prior to operation of the proposed facilities, the Applicant shall inspect and clean the drainage systems to remove sediment that may have accumulated during the construction phase.
42. Prior to operation of the proposed facilities, the Applicant shall effectively stabilize the site to the approval of the HCC.

CONSTRUCTION PERIOD EROSION, SEDIMENTATION, AND POLLUTION PREVENTION

43. The Applicant, site contractor, and their assigns shall implement a Construction Period Pollution Prevention and Erosion and Sedimentation Control Plan from the commencement of work until the site is fully and permanently stabilized and the temporary erosion and sedimentation controls are removed, upon HCC approval.
44. The Best Management Practices used during construction must be different from the Best Management Practices that will be used to handle stormwater after construction is completed and the site is stabilized. Many stormwater technologies (particularly infiltration technologies) are not designed to handle the high concentrations of sediments typically found in construction runoff, and thus must be protected from construction-related sediment loadings.
45. All vegetation cutting associated with the construction of this project shall be subject to the prior review and approval of the HCC. Prior to the commencement of work, the Applicant's surveyor shall stake out, flag, or mark by other appropriate means, the locations of the approved limits of cutting and the locations of the proposed PPESC devices for inspection by the site contractor, EM, PPESC Monitor, and the HCC. The commencement of vegetation cutting work shall be contingent upon the approval of the HCC at that time.
46. Prior to the commencement of work, the Applicant shall install the initial PPESC devices. The Applicant shall schedule an inspection of the installed devices by the site contractor, EM, PPESC Monitor, and the HCC. Should any of these devices be considered insufficient, the PPESC Monitor shall immediately propose augmentation or other corrective measures to address areas of concern. The continuation of on-site work shall be contingent upon HCC approval of the devices at that time.
47. The Applicant shall designate a PPESC Monitor for the site. This Monitor shall be a professional with experiences in PPESC practices. This Monitor shall inspect PPESC devices daily for proper function and maintenance, including the proper disposal of waste products. This Monitor shall immediately arrange for the maintenance, replacement, augmentation, emergency placement, and any other corrective action of PPESC devices on site. Areas of construction shall remain in a stable condition at the close of each day. The Applicant shall give this Monitor authority to stop construction for PPESC purposes.
48. The Applicant shall remove sediment from the proposed silt sock when it reaches 2/3 the height of the sock.

49. An adequate stockpile of PPESC materials shall always be on site for emergency or routine replacement and shall include materials to repair silt fences, straw bales, stone-riprap, filter dikes or any other devices planned for use during construction.
50. PPESC devices may be modified based on experience at the site. Approval of the HCC must be obtained prior to any non-emergency modification of the approved PPESC measures.
51. The HCC reserves the right to impose additional conditions on portions of this project to mitigate any impacts which could result from site erosion or any noticeable degradation of surface water quality discharging from the site.
52. The locations of long term (greater than 30 days) stockpiles and the locations and construction methods of temporary construction entrances, if not addressed in the Construction Period PPESC Plan, shall receive the prior approval of the PPESC monitor and the HCC.
53. Silt sock shall be installed around all temporary soil stockpiles on site.
54. During all phases of construction, all disturbed or exposed soil surfaces shall be brought to final finished grade and either a) covered with loam and seeded in accordance with the Massachusetts Erosion and Sediment Control Guidelines for Urban and Suburban Areas (or equivalent document) for permanent stabilization or b) stabilized in another way approved by the HCC. Bare ground that cannot be permanently stabilized within 30 days shall be stabilized with mulch or any other protective covering and/or method approved by the USDA Soil Conservation Service.
55. Graded slopes shall not exceed a slope ratio of 2:1, unless approved by the City Engineer and HCC.
56. Upon completion of the project all disturbed areas shall be permanently stabilized with rapidly growing vegetative cover with enough topsoil to assure long term stabilization of disturbed areas. After seeding, disturbed areas shall be covered with straw mulch, netting, or other protective covering to provide a suitable surface cover until seed germination.
57. All dewatering activities shall be controlled by implementing Best Management Practices. Dewatered fluids shall be prevented from flowing directly into resource areas. Discharge structures, such as temporary sediment basins or other Best Management Practices shall be configured to maximize sediment removal. If discharge towards resource areas cannot be avoided, it shall be via a maximized distance of overland upland sheet flow unless the HCC approves an alternative in advance. The PPESC Monitor shall review and approve all dewatering methods prior to implementation.
58. Topsoil, other soils, stumps, slash, timber, construction materials, debris, or other waste products shall not be deposited, stored, or otherwise accumulated within 100' of a wetland resource area or within land subject to flooding, unless approved in advance by the HCC.
59. Covered dumpsters shall be maintained on site for appropriate materials. The Applicant shall conduct routine litter pick-ups throughout construction to prevent trash and loose, man-made debris from entering the resource areas and buffer zones.

60. All pumps, drilling machines, and their surrounding areas, whether used for dewatering or other purposes, shall be properly contained to limit the potential for environmental impacts due to fuel leakage, pump leakage, or other failures.
61. Refueling of equipment shall not be done within 100' of a wetland resource area. Fuel, oil, or other potential pollutants shall not be stored within 100' of a wetland resource area.
62. Equipment shall not be staged overnight within 100' of a wetland resource area.
63. Any spills of hazardous materials, including but not limited to diesel fuel and hydraulic oil, shall be appropriately and promptly cleaned up. The Applicant shall notify Federal, Commonwealth, and/or Local agencies of such spills as may be applicable by law. The Applicant or PPESC Monitor shall notify the HCC, within one hour, of any spills within wetland resource areas or buffer zones. Onsite emergency spill kits shall always be available.
64. The Applicant shall ensure a hazardous materials spill containment kit is always maintained on site throughout construction. The kit shall be appropriately sized for the cumulative volumetric capacity of hazardous fluids contained by equipment on site at any one time.

STORMWATER

65. The Applicant shall ensure the stormwater management design engineer is on site sufficiently throughout construction to inspect and direct the construction of all BMPs. Should the engineer find insufficient groundwater separation, poor soil infiltration conditions, ledge, or other conditions that would prohibit these BMPs from performing as designed, the Applicant shall submit a revised stormwater management design to the HCC in accordance with Special Condition #27. **Prior to installation of the proposed stormwater and infiltration systems**, the design engineer shall oversee an evaluation of the local soil texture and depth to groundwater to confirm adequacy to support the design. The Applicant shall conduct one soil sample for every 5000 square feet of infiltration area, with a minimum of three samples for each infiltration basin. Samples shall be taken at the actual locations of the proposed infiltration so that any localized soil conditions are detected. The Applicant shall ensure the stormwater management design engineer and an HCC Official are on site to evaluate the soil samples.
66. The Applicant shall ensure a minimum groundwater separation of 2' between the bottoms of the infiltration systems (including stone) and the estimated seasonal high groundwater elevation. Should local soil texture or depth to groundwater be found inadequate, the Applicant shall submit a revised system design to the HCC for review. The Applicant shall schedule the attendance of an HCC Official during this evaluation.
67. New catch basins shall be fitted with deep sumps and oil/gas traps (with specifications approved by the City Engineer), which shall be maintained and cleaned as outlined in a revised Stormwater Operation and Maintenance Plan.
68. The final locations and discharge points of all proposed perimeter, under, trench, and/or curtain drains shall be subject to the approval of the HCC. Every effort shall be made by the Applicant to apply such drains in a manner that shall mimic pre-construction groundwater flow patterns.

69. Stormwater runoff drainage shall be diverted away from the infiltration systems until the contributing drainage areas are fully and permanently stabilized. Orange construction fencing shall be installed around the proposed infiltration areas to protect them from compaction during construction.
70. The Applicant shall bring numerous inspection ports/cleanouts in each of the three infiltration systems to finished grade to sufficiently ensure use by the Applicant in determining and demonstrating to the HCC that the Operations & Maintenance Plan is being met.

OTHER CONDITIONS

71. If any unforeseen problem occurs during construction, which affects any of the eight statutory interests of the Wetlands Protection Act, M.G.L. Chapter 131, Section 40, upon discovery, the Applicant shall notify the HCC and an immediate meeting shall be held between the Commission, the Applicant, the engineer, contractor, and other concerned parties to determine the corrective measures to be employed. The Applicant shall then act to correct the problems using the corrective measures agreed upon.
72. Upon completion of the project, the Applicant shall request a Certificate of Compliance from the Commission and shall submit the following information with the request in both paper form and in an electronic form found acceptable to an HCC Official:
 - a) A written statement by a professional engineer registered in the Commonwealth of Massachusetts certifying compliance with the approved plans referenced above and this OOC and setting forth deviations, if any exist.
 - b) A final Illicit Discharge Compliance Statement prepared by the professional engineer in accordance with the requirements of Stormwater Management Standard 10. This Statement shall particularly detail all cleanings, inspections, and any necessary measures taken regarding the existing site drainage system and any potential illicit connections.
 - c) A written Operations and Maintenance Compliance Statement from the professional engineer identifying the party to be responsible for implementation of the Long-Term Pollution Prevention Plan and the Stormwater Operations and Maintenance Plan. This Compliance Statement shall also state:
 - i. the site has been inspected (provide date) for erosion and appropriate steps have been taken to permanently stabilize any eroded areas;
 - ii. all aspects of the stormwater BMPs have been inspected for damage, wear and malfunction, and appropriate steps have been taken to repair or replace the system or portions of the system so that the stormwater at the site may be managed in accordance with the Stormwater Management Standards;
 - iii. future responsible parties must be notified of their continuing legal responsibility to operate and maintain the stormwater BMPs; and
 - iv. the Long-Term Pollution Prevention Plan, including the stormwater operation and maintenance requirements, are being implemented.
 - d) A final monitoring report and current photo log prepared by the EM.
 - e) One electronic (PDF) set of as-built site plans prepared by a registered land surveyor or registered professional engineer showing grades, utilities, drainage systems, building footprint and detailed landscaping (i.e., all wetland resource areas, limits of work, etc.). These plans shall include the date(s) of fieldwork and shall be prepared in accordance with the "Plot Plan Standards" of the HCC Policy - P2000-02 "Occupancy Permit Checklist Endorsement".

ONGOING CONDITIONS

Certain conditions are ongoing and do not expire upon the completion of the project or the issuance of a Certificate of Compliance. These conditions shall remain in effect after the issuance of a Certificate of Compliance for the project and shall be referenced in the chain of title for the property. These conditions are:

73. The Property Owner and/or Facility Operator (“O/O”) shall ensure that a record of at least one copy of all the plans and documents referenced in this Order of Conditions, the subsequent Certificate of Compliance, all Modifications to the Order and their relevant revised plans and/or documents is always maintained. This information shall be made available for use by the O/O in its implementation of the activities discussed within and by the Haverhill Conservation Commission (“HCC”) during any inspections that may be necessary.
74. The drainage systems shall be maintained by the responsible party – the O/O - to ensure serviceability during operation as designed and as required in the Operations and Maintenance Plan (“OMP”) referenced in this Order. In addition to the monitoring requirements incorporated in the OMP, the O/O’s professional engineer shall inspect all the stormwater and groundwater management system Best Management Practices (“BMPs”) monthly for its first 12 months of post-construction usage. This monitoring shall specifically include evaluations of the infiltration system to ensure storm flows are properly treated and drawn down within the required 72-hour period. Should the system not function as designed, the Applicant shall submit a revised basin design to the HCC for review. Upon HCC approval, the Applicant shall immediately implement the design. At the end of this first year, the engineer shall report to the HCC her findings regarding maintenance frequency needs so that the OMP may be properly amended, if necessary. Each component of the system shall be maintained in compliance with the intent of the maintenance criteria outlined in the Stormwater Technical Handbook, prepared by the MassDEP and Office of Coastal Zone Management, for each respective BMP.
75. The maintenance and repair of the stormwater management system BMPs shall be the responsibility of the O/O. All BMPs shall be operated and maintained in accordance with the design plans and the approved OMP referenced in this Order.
76. All catch basins shall be stenciled (or otherwise marked) with language, such as “No Dumping – Drains to Waterway”, to prevent illicit discharges to the stormwater management system. The O/O shall maintain these stencils to ensure their ongoing functions. As alternatives to stencils, the Applicant may install grates with consistent language already included or install medallions like those used by the City’s stormwater department.
77. To demonstrate compliance with the Operations and Maintenance Plan and the Long-Term Pollution Prevention Plan, the O/O shall:
 - a) Maintain an operation and maintenance log for the last three years, including inspections, repairs, replacement, and disposal (for disposal, the log shall indicate the type of material and the disposal location). This log is a rolling log in which the responsible party records all operation and maintenance activities for the past three years.
 - b) Make this log available to MassDEP and the HCC upon request; and
 - c) Following advance notice, allow members and agents of the MassDEP and HCC to enter and inspect the premises to evaluate and ensure that the responsible party complies with the requirements of these Plans.

- d) Provide the HCC with an annual, written Operations and Maintenance Compliance Statement from the facility's operations manager, or other party identified by the O/O to be responsible for implementation of the Long-Term Pollution Prevention Plan. This Compliance Statement shall also state:
- i. the site has been inspected (provide date) for erosion and appropriate steps have been taken to permanently stabilize any eroded areas;
 - ii. all aspects of the stormwater BMPs have been inspected for damage, wear and malfunction, and appropriate steps have been taken to repair or replace the system or portions of the system so that the stormwater at the site may be managed in accordance with the Stormwater Management Standards;
 - iii. future responsible parties must be notified of their continuing legal responsibility to operate and maintain the stormwater BMPs; and
 - iv. the Long-Term Pollution Prevention Plan, including the stormwater operation and maintenance requirements, are being implemented.
78. The O/O shall maintain the permanent stability of this site to prevent the erosion of materials into the stormwater BMPs or the wetland resource areas.
79. The O/O shall sweep the paved portions of the facility two (2) times per year, or more frequently if conditions require, to remove sediments that may otherwise wash into the proposed stormwater systems and wetland resource areas.
80. The City of Haverhill reserves the right to schedule an annual inspection with the O/O as part of the OMP program to inspect the site for permanent stability and to inspect all components of the stormwater management system for proper function and maintenance.
81. The HCC reserves the right to enforce all restrictions and/or requirements established for this property within this OOC under the enforcement powers of the City's wetlands protection ordinance, Municipal Ordinance Chapter 253.
82. If the O/O intends to plow snow from the new athletics areas, plowed snow shall be placed in designated areas. Prior to operation of the facilities, the Applicant shall install durable posts with signs identifying the snow storage areas or identify the areas in another manner acceptable to the HCC. Signs shall be positioned so they are visible during snow events. The O/O shall maintain the signs to ensure their continued functions. Should the amount of snow on site exceed the snow storage areas and be proposed for removal from site, then it shall be disposed of in accordance with the Department of Environmental Protection - Bureau of Resource Protection's most current "Snow Disposal Guidelines".
83. Sand and de-icing chemical usage shall be minimized to the maximum extent practical on this site. When de-icing is proposed, alternative compounds such as calcium chloride (CaCl₂) and calcium magnesium acetate (CMA) shall be considered for use.
84. Pesticides, herbicides, and fungicides shall not be used within 100' of any wetland resource area for the purpose of lawn maintenance.
85. Fertilizers utilized for landscaping and lawn care within this property shall be slow-release, low-nitrogen, organic-based types and shall not be used within 30' of any wetland resource area.

86. The O/O shall conduct routine litter pick-ups on the site to prevent debris from entering the resource areas and buffer zones.
87. Dumpsters used for waste management on this site shall be a covered, side-opening style. Dumpsters shall be positioned on impervious surfaces to reduce the potential for liquids leaching into the ground. Waste management dumpsters shall be enclosed with fencing to reduce the potential for windblown debris. Following each dumpster emptying, the areas under and around these devices shall be cleaned to remove debris and leachate.
88. All exterior lighting associated with this project shall be directed away from the wetland resource areas.
89. There shall be no unprotected storage of deleterious or hazardous materials (such as auto parts, debris, oil drums, batteries, car washing fluid, etc.) allowed on site.
90. The O/O shall ensure a hazardous materials spill containment kit is always maintained on site.
91. The O/O shall ensure appropriate secondary containment is provided for all hazardous liquid storage within this facility.
92. There shall be no exterior storage of waste or recyclable materials, nor vehicle washing, allowed on site.

--- END ---



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
Request for Departmental Action Fee
Transmittal Form

DEP File Number:

Provided by DEP

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

A. Request Information

1. Location of Project

_____	_____
a. Street Address	b. City/Town, Zip
_____	_____
c. Check number	d. Fee amount

2. Person or party making request (if appropriate, name the citizen group's representative):

Name

Mailing Address

_____	_____	_____
City/Town	State	Zip Code
_____	_____	
Phone Number	Fax Number (if applicable)	

3. Applicant (as shown on Determination of Applicability (Form 2), Order of Resource Area Delineation (Form 4B), Order of Conditions (Form 5), Restoration Order of Conditions (Form 5A), or Notice of Non-Significance (Form 6)):

Name

Mailing Address

_____	_____	_____
City/Town	State	Zip Code
_____	_____	
Phone Number	Fax Number (if applicable)	


4. DEP File Number:

B. Instructions

1. When the Departmental action request is for (check one):

- Superseding Order of Conditions – Fee: \$120.00 (single family house projects) or \$245 (all other projects)
- Superseding Determination of Applicability – Fee: \$120
- Superseding Order of Resource Area Delineation – Fee: \$120

Important:
 When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.





Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

DEP File Number:

**Request for Departmental Action Fee
Transmittal Form**

Provided by DEP

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

B. Instructions (cont.)

Send this form and check or money order, payable to the *Commonwealth of Massachusetts*, to:

Department of Environmental Protection
Box 4062
Boston, MA 02211

2. On a separate sheet attached to this form, state clearly and concisely the objections to the Determination or Order which is being appealed. To the extent that the Determination or Order is based on a municipal bylaw, and not on the Massachusetts Wetlands Protection Act or regulations, the Department has no appellate jurisdiction.
3. Send a **copy** of this form and a **copy** of the check or money order with the Request for a Superseding Determination or Order by certified mail or hand delivery to the appropriate DEP Regional Office (see <https://www.mass.gov/service-details/massdep-regional-offices-by-community>).
4. A copy of the request shall at the same time be sent by certified mail or hand delivery to the Conservation Commission and to the applicant, if he/she is not the appellant.