ANNUAL WATER OUALITY REPORT Reporting Year 2021

Presented By
Haverhill Water
Department

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

PWS ID#: 3128000

We've Come a Long Way

nce again, we are proud to present our annual water quality report covering the period between January 1 and December 31, 2021. In a matter of only a few decades, drinking water has become exponentially safer and more reliable than at any other point in human history. Our exceptional staff continues to work hard every day—at all hours—to deliver the highest-quality drinking water without interruption. Although the challenges ahead are many, we feel that by relentlessly investing in customer outreach and education, new treatment technologies, system upgrades, and training, the payoff will be reliable, high-quality tap water delivered to you and your family.

Year in Review 2021

The Water Distribution Division and utility contractor N. Granese & Sons completed the replacement and repair of four miles of water mains from the water treatment plant at Kenoza Lake to Main Street. Most of the water mains and valves that were replaced were installed between 1890 and 1920.

The Water Department replaced 700 feet of main on Carlton Street. The original pipe had broken four times in the last three years. It was replaced with new ductile iron pipe.

Nineteen water main breaks were repaired in 2021. An estimated 1.8 million gallons of water was lost due to these breaks. In addition to the major main breaks, there were numerous private water service leaks that released one to five gallons per minute, often unnoticed, for days or months. Repairs to the service leaks were made as soon as possible.

Your water service extends from its connection to the city's water main in the street to your meter. As the property owner, you are responsible for maintaining your water service in good working order at your expense. When a service pipe leaks, it must be fixed quickly and properly because leaks can be destructive and pose health risks. The Water Department will work with the property owner to repair or replace your service as economically as possible. It is also important to repair all leaks to reduce water loss in the system. Every three years, Haverhill hires a company to complete a system-wide leak detection. The last survey was in 2020.

The Haverhill Water Department provides low-flow showerheads and faucet aerators to residents at the Water Billing Office in City Hall. Also, Haverhill has a rain barrel program that is overseen by the Solid Waste and Recycling Department. For more information, visit cityofhaverhill.com/departments/health_and_inspections/recycling_information/rain_barrel_dist_day.php.

Department Phone Numbers

Backflow/Cross Connection: (978) 374-2375

Billing Office: (978) 374-2370 Meter Division: (978) 373-8487 Water Treatment: (978) 374-2385 Water Maintenance: (978) 374-2368

Source Water Assessment

A Source Water Assessment Plan (SWAP) is available at the water treatment plant. This plan is an assessment of the delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area and a determination of the water supply's susceptibility to contamination by the identified potential sources.

This report assesses activities on our watershed and identifies potential pollution hazards. These potential hazards, if handled properly, would not pose a threat to our water supplies. These hazards fall into the following categories: fertilizer storage, livestock operations, manure storage/spreading, nurseries, pesticide storage/use, auto repair and body shops, bus and truck terminals, cemeteries, golf courses, junk/salvage yards, nursing homes, repair shops, sand and gravel mining/washing, fuel oil storage, lawn care/gardening, septic systems, aquatic wildlife, combined sewer overflows, composting facilities, fishing/ boating, land application of sewage sludge, schools, colleges/ universities, snow dump, stormwater drains/retention basins, and underground storage tanks. One or more of these hazards can be found near all of Haverhill's water sources. A water department employee checks these areas weekly to identify any violations. If you would like to view the SWAP report, please contact the water treatment plant at (978) 374-2385.

The Benefits of Fluoridation

Fluoride is a naturally occurring element in many water supplies in trace amounts. In our system, the fluoride level is adjusted to an optimal level averaging 0.7 part per million (ppm) to improve oral health in children. At this level, it is safe, odorless, colorless, and tasteless. There are over 3.9 million people in 140 Massachusetts water systems and 184 million people in the U.S. who receive the health and economic benefits of fluoridation.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or water.epa.gov/drink/hotline.

QUESTIONS? For more information about this report, or for any questions relating to your drinking water, please call Mary D'Aoust, Water Treatment Plant Chemist, at (978) 374-2385.

What's a Cross-Connection?

Cross-connections that contaminate drinking water distribution lines are a major concern. A cross-connection is formed at any point where a drinking water line connects to equipment (boilers), systems containing chemicals (air conditioning systems, fire sprinkler systems, irrigation systems), or water sources of questionable quality. Cross-connection contamination can occur when the pressure in the equipment or system is greater than the pressure inside the drinking water line (backpressure). Contamination can also occur when the pressure in the drinking water line drops due to fairly routine occurrences (main breaks, heavy water demand), causing contaminants to be sucked out from the equipment and into the drinking water line (backsiphonage).

Outside water taps and garden hoses tend to be the most common sources of cross-connection contamination at home. The garden hose creates a hazard when submerged in a swimming pool or attached to a chemical sprayer for weed killing. Garden hoses that are left lying on the ground may be contaminated by fertilizers, cesspools, or garden chemicals. Improperly installed valves in your toilet could also be a source of cross-connection contamination.

Community water supplies are continuously jeopardized by cross-connections unless appropriate valves, known as backflow prevention devices, are installed and maintained. We have surveyed industrial, commercial, and institutional facilities in the service area to make sure that potential cross-connections are identified and eliminated or protected by a backflow preventer. We also inspect and test backflow preventers to make sure that they provide maximum protection. For more information on backflow prevention, contact the Safe Drinking Water Hotline at (800) 426-4791.

Treatment Process Description

The Haverhill Water Treatment Plant is a conventional filtration plant that includes coagulation, flocculation, clarification, filtration and disinfection. The clarified, treated water goes through a two-stage (sand, then granular activated carbon) filtration process. After filtration it is fluoridated, then disinfected with sodium hypochlorite before it is pumped into the distribution system. Last year, the water treatment plant processed 1.9 billion gallons of water. The distribution system is made up of three storage tanks with a capacity of 17 million gallons, 13 pumping stations, and approximately 300 miles of water main.

Haverhill's Water Supply System

of which are surface water. Surface water means that all our water comes from aboveground supplies, not wells. In Haverhill, our sources are lakes, ponds, and a human-made reservoir. Water is pumped, as needed, from Millvale Reservoir and Crystal Lake into Kenoza Lake, where the Haverhill Water Treatment Plant is located. Water from Round Pond and Winnekenni Basin overflows into Kenoza Lake and is also part of our drinking water system. These combined waters are then pumped from Kenoza Lake into the water treatment plant.

Lead in Home Plumbing

Tf present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or epa.gov/safewater/lead.

The Haverhill Water Department will be reaching out to homeowners in 2022 to participate in a lead service line inventory. The department must complete an inventory including all homes with full or partial lead service lines. At present, Haverhill has fewer than 200 lead service lines. From this inventory, a new sampling plan will be created for our next round of lead and copper monitoring in 2023.

Test Results

Our water is monitored for many different kinds of substances on a very strict sampling schedule, and the water we deliver must meet specific health standards. Here, we only show those substances that were detected in our water (a complete list of all our analytical results is available upon request). Remember that detecting a substance does not mean the water is unsafe to drink; our goal is to keep all detects below their respective maximum allowed levels.

The state recommends monitoring for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

REGULATED SUBSTANCES								
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE	
Barium (ppm)	2021	2	2	0.010	NA	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits	
Chlorine (ppm)	2021	[4]	[4]	1.15	0.36-1.51	No	Water additive used to control microbes	
Fluoride (ppm)	2021	4	4	0.69	0.10-1.10	No	Water additive which promotes strong teeth	
Haloacetic Acids [HAAs]-Stage 2 (ppb)	2021	60	NA	17.5	6.3–26	No	By-product of drinking water disinfection	
Nitrate (ppm)	2021	10	10	0.083	NA	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits	
Total Organic Carbon (ppm)	2021	$\mathrm{TT}^{\scriptscriptstyle 1}$	NA	1.9	0.9–2.7	No	Naturally present in the environment	
TTHMs [total trihalomethanes]–Stage 2 (ppb)	2021	80	NA	49.1	14–70	No	By-product of drinking water disinfection	
Turbidity ² (NTU)	2021	TT	NA	0.25	0.03-0.25	No	Soil runoff	
Turbidity (lowest monthly percent of samples meeting limit)	2021	TT = 95% of samples meet the limit	NA	100	NA	No	Soil runoff	

Tap water samples were collected for lead and copper analyses from sample sites throughout the community

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	MCLG	AMOUNT DETECTED (90TH %ILE)	SITES ABOVE AL/TOTAL SITES	VIOLATION	TYPICAL SOURCE
Copper (ppm)	2020	1.3	1.3	0.051	0/30	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead (ppb)	2020	15	0	2	0/30	No	Lead service lines; Corrosion of household plumbing systems, including fittings and fixtures; Erosion of natural deposits

Definitions

90th %ile: Out of every 10 homes sampled, 9 were at or below this level. This number is compared to the Action Level to determine lead and copper compliance.

AL (Action Level): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable.

ND (**Not detected**): Indicates that the substance was not found by laboratory analysis.

NTU (Nephelometric Turbidity Units): Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).

SMCL (Secondary Maximum Contaminant Level): These standards are developed to protect aesthetic qualities of drinking water and are not health based.

TT (**Treatment Technique**): A required process intended to reduce the level of a contaminant in drinking water.

SECONDARY SUBSTANCES							
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	SMCL	MCLG	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Manganese (ppb)	2021	50	NA	12	NA	No	Leaching from natural deposits
pH (units)	2021	6.5-8.5	NA	7.61	7.14–8.24	No	Naturally occurring
Total Dissolved Solids [TDS] (ppm)	2021	500	NA	156	NA	No	Runoff/leaching from natural deposits
Zinc (ppm)	2021	5	NA	0.575	NA	No	Runoff/leaching from natural deposits; Industrial wastes

UNREGULATED SUB	STANCES 3			
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AMOUNT DETECTED	RANGE LOW-HIGH	TYPICAL SOURCE
Alkalinity (ppm)	2021	38	NA	Naturally occurring
Chlorate (ppb)	2021	140	77–220	By-product of drinking water disinfection
Sulfate (ppm)	2021	20	NA	Runoff/leaching from natural deposits; Industrial waste

¹The value reported under Amount Detected for TOC is the lowest ratio between percentage of TOC actually removed to the percentage of TOC required to be removed. A value of greater than 1 indicates that the water system is in compliance with TOC removal requirements. A value of less than 1 indicates a violation of the TOC removal requirements.

Substances That Could Be in Water

To ensure that tap water is safe to drink, the Department of Environmental Protection (DEP) and the U.S. Environmental Protection Agency (U.S. EPA) prescribe regulations limiting the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) and Massachusetts Department of Public Health (DPH) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and which may also come from gas stations, urban stormwater runoff, and septic systems;

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

²Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of the filtration system.

³Unregulated contaminants are those for which the U.S. EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist U.S. EPA in determining their occurrence in drinking water and whether future regulation is warranted.